



WE'RE FULLY EQUIPPED TO ASSIST... TOOLS AND EQUIPMENT FOR THE AUTOMOTIVE AFTERMARKET



MOT & TECHNICAL TRAINING



NOW AVAILABLE, INCLUDING ANNUAL MOT TRAINING & ASSESSMENT - SEE PAGE 11





BEST PRICE • BEST RANGE • FAST QUOTE • FINANCE ARRANGED

BATH: 01225 424 221 **GLASTONBURY:** 01458 832 915 **NORWICH:** 01603 486 020 **READING:** 01189 110949 **SWINDON WESTMEAD:** 01793 821 715 **EXPORT:** 01777 700 075



CONTENTS

TECHNICAL EQUIPMENT & TRAINING PAGES 3 - 10

DIAGNOSTIC UNITS & SOFTWARE ADAS EQUIPMENT AIR CONDITIONING CHARGE STATIONS MOT & TECHNICAL TRAINING



2 & 4 POST LIFTS SCISSOR LIFTS MOT BAYS & EQUIPMENT EMISSIONS ANALYSERS TYRE CHANGERS WHEEL BALANCERS WHEEL ALIGNMENT



WORKSHOP EQUIPMENT & TOOLSPAGES 12, 25 - 31

POWER TOOLS

HAND TOOLS
LIGHTING
SPECIALIST TOOLS
STORAGE
BATTERY MAINTENANCE
WELDING & CUTTING



TERMS & CONDITIONS

- Lease example: Launch X431 Pro 5 Plus Offer price £1950. 5 Year lease plan: Advance rental £44.85 + VAT, followed by 59 payments of £44.85 + VAT, weekly equivalent £10.35 + VAT. Set up and document fees apply, please ask for details.
- All lease rental prices shown are weekly equivalents assuming advance rental, equivalent to 1 month's rental and all subsequent rentals payable monthly.
- Lease figures may vary according to status and are for illustration purposes only.
- All lease transactions are subject to a documentation fee.
- All prices shown are subject to VAT and subject to status.
- All offers are subject to availability and applicable to UK mainland only, certain postcodes may incur an additional delivery charge.
- All offers available until June 30th 2022, prices and specifications subject to change without notice.
- Any additional costs incurred concerning LOLER, PUWER and BS7980 regulations are the customer's responsibility.
- Installation is to a prepared site, excluding electrical installation. Please make sure your site
 meets the requirements for the equipment purchased, such as floor quality, concrete depth,
 power supply and access. If in doubt, please contact your local branch or the supplier.

AUTEL

AUTEL

AUTEL MS **ULTRA**

PROMO SAVE £2,140





Built-In Oscilloscope

Built-In Waveform Generator

Built-In Multimeter

Built-In CAN bus Check



MAXISYS ULTRA PROMO

SEE PROMO FOR 3 YEARS SOFTWARE UPDATES!

£5,250 ex. vat Lease £27.87pw (5yr) 3 YEAR SOFTWARE UPDATES INCLUDED!

SAVING OF £2,140 (WHILE STOCKS LAST - TS & C'S APPIY)

3 Years

updates for only £250 saving you £2,140

The all new MaxiSYS Ultra is the first diagnostic tool to be designed to match the growth of more complex automotive electrical systems and Electric Vehicles (EV), which are becoming ever more common place. The Ultra has a super large screen, our fastest processors, our largest ever SSD memory and even a docking station as standard.

The Ultra combines diagnostics, service, extensive live data, channel coding and ECU reflashing* as seen on the MS908Pro. New to the Ultra is our MaxiFLASH VCMI with built-in Oscillisope, Multimeter, Signal Generator and OBD Bus Check Functions. The VCMI connects to the Ultra using hi-speed Wi-Fi which greatly increases the communication speeds.

The all new VCMI also has **Enhanced Protocol Compatability** and supports **D-PDU**, **RP1210**, **CANFD**. **J2534** and **DoIP protocols**. The Ultra has all new software specialist capabilities that we have named **Repair Assist**, **DTC Analysis**, **Topology Mapping and Relevant Cases**.

All New Software Capabilities



System Topology



Relevent Cases



Repair Assist



DTC Analysis



Tech Bulletins

programming.

ULTRA includes a number of great features such as outstanding coverage with

80+ manufacturers, full diagnostics, 26 service functions, channel coding and

Specifications

- Android 7.0
- 2,3GHz + 1,7Ghz Samsumg Exnos 8895v Octa-Core
- 256GB Internal memory
- 4GR RAM
- 12,9" 2732 x 2048 TFT-LCD Corelle glass
- Ultra fast power on
- 18,000mAh Lithium-Polymer battery
- Oil and water resistant screen











DAS3000 ADAS Package

ADAS (Advanced Driver Assistance Systems) is now fitted to most vehicles. The technology is fast evolving in the form of Adaptive Cruise Control, Lane Departure Warning, Automatic Emergency Braking and many more. However, these systems often now need to be calibrated by means of static target boards, alignment lasers and dynamic test drives.



- Future proof calibration & diagnostic software
- · Robust trolley with extra large wheels & universal fixture, designed for installation of multiple target boards
- Scope of delivery includes an XL multi-function board: VW Group camera calibration pattern and radar reflector
- · Integrated cameras and software workflows measure the distance to the vehicle and line-up to thrust line fully
- Universal fixture offers radar 3-point calibration $(-2^{\circ}/0^{\circ}/+2^{\circ})$
- Universal fixture with integrated height offset and roll angle
- · XL Multi-function board covers all OEM radar mounting heights and requires just a lateral rough positioning

KTS590 Diagnostic Interface



The new and exciting Bosch diagnostic interface leading the aftermarket with enhanced ECU diagnosis for DoIP and the added benefit of a two channel oscilloscope.

The Bosch KTS590 is the new and latest Bluetooth diagnostic interface

with 2 channel oscilloscope that supports all of todays relevant diagnostic protocols. It offers the highest level of information working

with any Windows based PC and the world renowned Bosch diagnostic software ESI[tronic] 2.0.

KTS590 Diagnostic Interface £2473 Lease £13.03pw (5yr)

DCU 220 Rugged Tablet

Developed especially for workshop use, the robust DCU 220 (Diagnostic Control Unit) controls Bosch test and diagnostic systems, e.g. FSA 500 or the modules from the KTS series. As a convertible PC, the DCU 220 combines the features of a notebook with those of a tablet PC to

£3195 Lease £16.96pw (5yr) facilitate flexible and comfortable working, especially under workshop conditions. When used as

a tablet PC, the touchscreen ensures flexible and convenient work.

ESI Masterpack Software



TEXA

TEXA RCCS3 Digital

ADAS: RADAR AND CAMERA CALIBRATION KIT

Diagnosis and calibration of driver assistance systems

Features

- 75-inch 4k screen, which always offers an optimal display, meeting the 1:1 proportion ratio in line with the specifications of every manufacturer.
- The RCCS 3 communicates with the IDC5 software and guides the mechanic, step-by-step, to the quick and automatic identification of the vehicle. The panel is selected and set in the monitor, with no possibility of
- Robust construction that is easy to adjust and move • A Mini PC built into the unit guarantees the use of an
- intelligent system that synchronises the IDC5 software and the TEXA unit perfectly.
- An ad-hoc solution for high accuracy wheel alignment
- ACS (All Around Calibration System) allows calibrating 360° cameras and Dopplers* for VAG Group (AUDI, SEAT, SKODA, VOLKSWAGEN, LAMBORGHINI) vechicles.
- Doppler Simulator, required to calibrate the blind spot



Axone Nemo 2 Diagnostic Tester

The multi-environment solution with even better performance. Axone Nemo 2 is a reference point in the world of diagnostic tools. Designed and built based on a multi-environment logic, it is used for complete and precise operations on cars, trucks, bikes, off-highway and marine vehicles.

Navigator TXT MULTIHUB

The TXT MULTIHUB is an extremely versatile vehicle interface that easily adapts to maintenance activities, making them quick and intuitive in any situation.

It is a technologically advanced solution, rich in unique technical and constructive features.













Connex Digital ADAS Package

The solution that completely changes the maintenance of ADAS systems.

The Brainbee digital ADAS solution uses a revolutionary targetless technology that is simple and easy to use, making maintenance of ADAS systems accessible to all workshops One of the benefits of the targetless digital system is that no additional panels are required. The digital panel is driven by the Connex software and displays the necessary target applicable to the vehicle in question, quickly and efficiently.

- Features

 EASY TO HANDLE All the operations can be carried out by just 1 operator
- DIGITAL Saves space in the workshop
- · WIFI CONNECTION Ensures systems and calibration procedures are always up to date
- · KEYSTONE SYSTEM (Patented) For maximum accuracy
- SUPER QUICK Can be aligned and positioned in
- 5 minutes max.
- FULL HD 4K MONITOR Ensures extreme accuracy under any light condition

DTS Connect PLUS

The future of remote diagnostic technology is here. DTS Connect Plus is the next generation of the extremely popular and successful DTS Connect interface. DTS Connect Plus follows the same philosophy as the original interface but with new features, such as built in WiFi and LAN connection port which now allows for more flexible connection options and device choices.



DTS Connect Plus now has the option to be used in conjunction with an internet browser-based portal, rather than just the Android Application. This means huge flexibility on device choices, including PC, Laptop, Mac, IOS, Android and more.

Direct WiFi or Lan connection allows for faster and more stable data transfer, meaning complex jobs can be completed more easily and with greater confidence. DTS Connect Plus is also future proofed with features such as 4 Can Lines, DOIP enabled and CanFD ready.

As with the original DTS Connect interface, DTS Connect Plus gives you access to the DTS Connect servers and the team of Master Technicians on hand ready to complete Diagnostic and Key related jobs remotely over the internet for you. DTS Connect Plus allows you to access jobs and services that are normally reserved for those with tens of thousands of pounds investment in specialist equipment, at a fraction of the cost.

Diagnostic programming solution for:

- Key programming
- Pin code retrieval
- Module replacement Diagnostic support
- Tow bar coding
- Retrofitting



Hickleys

□□□□□ HDAAC1 R134 & HDAAC2 1234yf

This budget machine offers a very low cost entry into air conditioning.
The machine requires manual

control of the process and needs the vehicle data to be entered separately. The 10kg capacity ensures

ample storage capacity and powerful compressor and vacuum pump achieves a fast recharge. This unit includes everything required to carry out recharge and repair at an affordable price

HDAAC1 R134a

£1749.00

Lease £9.48 pw (5 yrs)

HDAAC2 1234yf

£1779.00

Lease £9.65 pw (5 yrs)



Combi Deal **HDAAC1 & 2**

£3295.00

Lease £17.87 pw (5 yrs)

TEXA

705R R134a & 707R 1234yf

A very low cost entry level air con machine for the smaller garage that wants to vacuum and recharge as cost effectively as possible. The unit offers the normal high build quality of Texa machines and is fully automatic in operation, carries the full database, includes automatic oil injection but requires UV dye to be introduced separately.

TEXA 705R R134a

£2045.00

Lease £11.09 pw (5 yrs)

TEXA 707R 1234yf

£2375.00

ease £12.88 pw (5 yrs)



Combi Deal 705R & 707R

£4255.00

Lease £23.08 pw (5 yrs)

TEXA

712R R134a & 712R 1234yf

KONFORT 712R is TEXA's new mid-range A/C charging station which boasts the typical technical features of the top-range models, such as the automatic maintenance service management and the measuring of the amount of oil recovered with the electronic scale. Can be purchased in R134a or R1234yf versions with the option to change the configuration.

TEXA 712R R134a

£2885.00

Lease £15.65 pw (5 yrs)

TEXA 712R 1234yf

£2885.00

Lease £15.65 pw (5 yrs)



Combi Deal 712R x 2

£5555.00

Lease £30.13 pw (5 yrs)

AIRNEX 9310 R134a & **AIRNEX 9410** 1234yf

An extremely compact mobile air conditioning station which, whilst being very competitively priced, offers many of the features normally reserved for more expensive machines

The Airnex range of Air conditioning stations are highly accurate and offer fully automatic operation.

AIRNEX 9310 R134a

£1880.00

ease £10.20 pw (5 yrs)

AIRNEX 9410 1234yf

£2090.00

ease £11.33 pw (5 yrs) Lease £20.28 pw (5 yrs)



Combi Deal 9310 & 9410

£3740.00

BroinBee AIRNEX 9320 R134a & AIRNEX 9420 1234yf

The Airnex range of Air conditioning stations are highly accurate and offer fully automatic operation, benefiting from digital control, powerful compressor and vacuum pump with a larger than normal 12kg capacity. Thanks to the inclusion of advanced features such as super charge, air purge and long life pump, these machines offer outstanding efficiency and accuracy

AIRNEX 9320 R134a

£2550.00

Lease £13.83 pw (5 yrs)

AIRNEX 9420 1234yf

£2700.00

Lease £14.64 pw (5 yrs)



Combi Deal 9320 & 9420

£4900.00

Lease £26.57 pw (5 yrs)

BrainBee

AIRNEX 9350 R134a & **AIRNEX 9450** 1234yf

The BrainBee AIR-NEX 9350 & 9450 are the latest and most advanced air conditioning stations, packed with the latest features, providing highly accurate and a fully automatic operation

The units offer digital control, high powered compressor and vacuum pump with a large 20kg

AIRNEX 9350 R134a

£2650.00 ease £14.37 pw (5 yrs)

AIRNEX 9450 1234vf

£2820.00

Combi Deal 9350 & 9450

£5130.00

Lease £15.29 pw (5 yrs) Lease £27.82 pw (5 yrs)

BRAIN BEE EMISSIONS ANALYSERS

Omni 800 Lite

Omni 800 Lite £4795.00 **DVSA MTS** CONNECTION INCLUDED

Omni 800 Standard





3 YEAR CARE PLAN £1,900 - Lease £10.08pw (5yrs) YEAR CARE PLAN £3,200 - Lease £16.98pw (5yrs)

LAUNCH UK

LAUNCH UK









-431 PRO 5 PLUS

- OS: Android 9.0
- CPU: 1.8 GHz 8 Cores
- · 4GB memory
- Internal 64GB + microSD card 32GB
- 10.1" touch screen
- Battery: 7000mAh
- Wifi: 2.4GHz and 5GHz
- . Camera: Front 5MP, Rear 8MP

Includes 2 Years Software Updates, 2 years warranty PLUS 1 year Guided **Diagnosis function - HaynesPro Electronics**

GUIDED DIAGNOSIS HAYNES PRO £395 PA 1 YEAR INC. WITH PRO 5 PLUS

ONLY £1950.00 5 YEAR LEASE

-431 PRO 5 LITE

- OS: Android 9.0
- CPU: 1.8 GHz 8 Cores
- 4GB memory
- Internal 32GB + microSD card 32GB
- 10.1" touch screen
- 16 pin DBS car connector and extension cable

Includes 2 Years Software Updates, 2 years warranty (Optional Guided Diagnosis function)

ONLY £1795.00

5 YEAR LEASE

X-431 EURO PRO5, based on Android 9 system, is a new high-end vehicle diagnostic device developed by LAUNCH. It passes on LAUNCH's advantages in diagnostic technology, such as wide car model coverage, powerful test function, abundant special functions and accurate test data. Integrated with Guided Diagnosis function based on LAUNCH electronic database, powered by HaynesPro (1 year included with PRO5 Plus model, optional on PRO5 Lite model)

-431 PRO TURBO

- · Android 9 operating system
- Supports Google Service & Printer APK from the Google Play Store
- Supports both 2.4GHZ & 5GHZ Wifi
- CPU: 2GHZ 4 Cores
- Internal memory: 3GB
- Internal storage: 32GB
- Screen: 8" 1200 x 800 IPS

Includes 2 Years Software Updates PLUS 2 years warranty! (Optional Haynes Pro electronics and ADAS)



X431 EURO TAB 2

X431 Euro Tab II is a high end diagnostic tool with docking station. Developed around Android version 7.1 with new features such as DOIP, J2534 pass-through online programming, DCT-based database, intelligent diagnosis, etc. It inherits all the excellent functions of the previous generation tool. It supports dual 5GHz WiFi communication.



10" SCREEN



ANDROID



BLUETOOTH





X431 EURO TAB 2

£3250.00

5 YEAR LEASE £17.25 PW



LAUNCH UK

LAUNCH UK

-431 EURO TAB III

The Euro Tab III is a newly-developed high-end vehicle diagnostic device based on the Android 9.0 operating system. Solid build quality with a huge 13" screen, the new Tab III offers many advanced features, including the Smartlink® C VCI. This advanced module allows for communication and advanced functions in several ways. Featuring its own 4.0-inch screen, the Smartlink® C communicates directly with the vehicle for local diagnosis and remotely for Launch SRD diagnosis, (Launch Super Remote Diagnosis), this new development in diagnostics allows a technician to call a service provider who, using the Smartlink®B device, will connect to the vehicle remotely. It is then possible to carry out almost any diagnostic or programming function, on almost any vehicle, using 0EM or aftermarket tools. The VCI is also compatible with DOIP (Diagnosis over the Internet protocol), CAN FD, (flexible data-rate), and as a Pass-Thru device, communicating by J2534, D-PDU and RP1210 protocols.

The Euro Tab III includes the Launch professional database fully integrated into the diagnostic software. This will take the user directly from the DTC to a step by step testing routine, leading to the fault code solution. The new Tab III comes complete with the Launch 02-1 four-channel oscilloscope, as well as the Launch TSGUN and four TPMS sensors. The TS Gun will read all sensor information, programme Launch sensors, and diagnose TPMS fault codes.

NEW MODEL! NOW INCLUDES REMOTE DIAGNOSIS. PROPERTY OF THE PRO

≡ EUROTAB III FEATURES

- Launch Super remote diagnosis (SRD)
- Intelligent diagnostics for 100+ car brands
- Topology mapping provides visual checking on DTCs and all systems' communication status
- Supports the following automotive communication protocols and standards:
 CAN / CANFD / DoIP / J2534 / D-PDU / RP1210
- 33 Service and reset functions
- Launch guided diagnosis function
- Optional ADAS calibration function
- Advanced coding and programming function

- Extended solution to support TPMS servicing
- 2.4GHz & 5GHz Dual band communication ensures quick and stable connection
- Diagnoses light, medium & heavy duty vehicles with Smartlink® C
- Wireless software update
- Built-in repair information and training video modules help to track and fix issues fast

SPECIAL OFFER INCLUDES

- Upgrade to 3 years software for only £245, saving £280
- One year Launch CarSet electronics database powered by Haynes PRO
- Two-year Launch UK warranty

-431 EURO PRO 5 LINK

NEW MODEL! NOW INCLUDES REMOTE DIAGNOSIS.

The PR0 5 Link is a development of the successful Pro 5 Plus. The PR0 5 Link is supplied with the latest Launch development, the advanced Smartlink®C VCI. This advanced interface supports multiple communication and diagnostic protocols, these include, DOIP, CAN FD, J2534/1/2, D-PDU, RP-1210/C, 5GMHz Wi-Fi, Ethernet, USB 2.0. The Smartlink®C also supports Launch SRD (Super Remote Diagnosis), this new development in diagnostics allows a technician to call a service provider who, using the Smartlink®B device, will connect to the vehicle remotely. It is then possible to carry out almost any diagnostic or programming function, on almost any vehicle, using 0EM or aftermarket tools.

The PRO 5 Link uses the latest in Launch diagnostic technology, Intelligent diagnostics automatically identifies the vehicle through the VIN. Fault codes can be resolved using the Launch CarSet database, powered by Haynes Pro. Using guided diagnostics and technical information, the technician can follow a methodical test plan and resolve the fault issue.

≡ FEATURES

- Local intelligent diagnostics
- · Remote diagnostic, using the Launch SRD platform
- Compatible with multiple protocols
- Supports heavy commercial vehicles (Additional license required)
- One click software updates almost daily

SPECIAL OFFER INCLUDES

- Upgrade to 3 years software for only £300, saving £225
- One year Launch CarSet electronics database powered by Haynes PRO
- Two-year Launch UK warranty



DELPHI TECHNOLOGIES

Delphi Technologies



Code	Description	Price	5 yr Lease
SV60250	DS180E Kit (VCI only)	£1,745.00	£9.26pw
SV60251	DS480E Tablet & BlueTech VCI	£2,920.00	£15.50pw
SV60270	BlueTech Car Software – 1 Year	£695.00	N/A
SV60271	BlueTech Car Software – 2 Year	£1,180.00	£6.26pw
SV60272	BlueTech Car Software – 3 Year	£1,565.00	£8.31pw
SV60273	BlueTech Car Software – 5 Year	£2,260.00	£12.00pw

COMBINED HARDWARE + SOFTWARE PRICING

Description	Price	5 yr Lease
DS180 + 1Y Car SW	£2440.00	£12.95pw
DS480 + 1Y Car SW	£3615.00	£19.19pw



Flight Recorder

Perfect for a one-man road test. Select your parameters, hit "Record" and review when back in the workshop. With its 4 GB internal storage capability, enjoy even more space to record all the data you need.



360° Multi-Colour Indicator

Lets you check the status of the VCI at any time from any angle or position.



Universal

VCI can be used for cars, light commercial vehicles, trucks, buses, coaches & trailers.



Battery Voltage Monitor

Don't let a dead vehicle battery stop you working.



WiFi & Bluetooth Connectivity to PC

Wireless communication providing freedom to work anywhere In the workshop, whilst maintaining a seamless connection to the vehicle.



Integrated DolP

No need of any DolP adaptor cable. With Its bullt-in functionality, the VCI can be plugged directly on Dol communicating vehicles.



Pass-Thru Support

Quick and easy access to OEM flash-programming services.



CAN FD Channels

Future-proof design to make the diagnostic possible on vehicles requiring this data-communication protocol.

DELPHI TECHNOLOGIES

Delphi Technologies



AN E-LEARNING PLATFORM THAT PROVIDES TECHNICIANS WITH THE ABILITY TO ENHANCE THEIR SKILLS AND KNOWLEDGE ACROSS A WIDE RANGE OF TOPICS.

8 main training courses:

- Hybrid & Electric Vehicles
- ADAS
- Exhaust & Aftertreatment
- Petrol Systems
- · Diesel Systems
- · Chassis Systems
- · Vehicle Electrics
- Other Systems

Features:

- 200+ individual training modules
- Extensive video content filmed in real world workshop environment
- · Interactive text and questions
- · Engine simulator
- Training Needs Analysis questionnaires
- Own training profile containing all certificates earned
- Mock tests for IMI accreditation
- Designed for all devices including tablets and mobiles

Benefits to the technician:

- Training from a leading, global OE manufacturer
- Flexibility to train when and where suits each individual
- Determine own training pathway and pace
- Designed for all levels of technician from apprentice to master technician
- Tests practical skills via the engine simulator
- Pinpoint knowledge gaps to prioritise training topics
- Watch how-to videos when faced with real-life service/diagnostics issues
- New content ensures users are kept up-to-date with latest technology
- Blended approve on H/EV course can provide direct contact with trainer







LICENSE PRICE 12 MONTHS ACCESS - £220

AP AUTO









OUR AIR CONDITIONING TRAINING COURSES

7543-001 - LEVEL 3 AWARD IN BASIC MOBILE AIR CONDITIONING SYSTEMS

7543-002 - BASIC MOBILE AIR CONDITIONING PRINCIPLES

7543-003 - DIAGNOSIS AND REPAIR OF COMPLEX FAULTS IN MOBILE AIR

CONDITIONING/CLIMATE CONTROL SYSTEMS

AUTOMOTIVE REFRIGERANT HANDLING COURSE ONLY £129.00 +VAT


WWW.APAUTO.CO.UK 01453 796905 SALES@APAUTO.CO.UK

*MACHINES ARE SUPPLIED SUBJECT TO AVAILABILITY AND AP AUTO'S TERMS AND CONDITIONS, INSTALLATION & DELIVERY APPLIES TO UK MAINLAND ONLY, 3-YEAR WARRANTY IS SUBJECT TO CONDITIONS – MACHINE MUST BE SERVICED ANNUALLY.

TECHNICAL TRAINING









North Humberside Motor Trades Group Training Association (GTA)

- Delivering a range of professional courses using the latest technologies.
- Fully equipped training workshop and MOT bay.
- Awarded the IMI Approved Centre of the Year 2018.
- Industry experienced and fully qualified teaching staff.

Code	Course	Duration	Cost (Ex. VAT)
F1MNTC	MOT New Testers Course	4 Days	£745
F1MTCM	MOT Test Centre Manager	2 Days	£475
F1MLVI	Level 3 Light Vehicle Inspection (LVI) Accreditation	3 Day	£649
F1MATA	MOT Annual Training and Assessment	Various	From £52.50
F1MFGAS	F-Gas Level 3 Automotive Refrigerant Handling	1 Day	£245
F1MEV/2/3/4	IMI Award in Electric / Hybrid Vehicles Level 2, 3 & 4	Various	From £245

Also available, GTA Diagnostic Technician Training Programme - Includes all 10 modules below plus IMI Level 3 Diagnostic Technician Accreditation*

F1MFE01 - Fundamental Electronics	F1MCC01 - Catalytic Converters and DPF Systems
F1MDO01 - Diagnosis using an Oscilloscope	F1MAB01 - Advanced Braking
F1MGA01 - Diagnosis by 4 Gas Analysis	F1MMS01 - Modern Steering Systems

Diagnosis by 4 Gas Analysis F1MMS01 - Modern Steering Systems

F1MME01 - Modern Engine Systems F1MAC01 - Airbags and Can-Bus Made Easy F1MCR01 - Common Rail Diesel F1MSC01 - Smart Charging Systems / Stop Start

*Subject to passing the IMI Level 3 Diagnostic Technician assessment.

Complete all 10 modules and we will provide the IMI Level 3 Diagnostic Technician Assessment free of charge, worth £375 +VAT. Courses from £149 + VAT. Call us for further information.

tel. 01482 353022 | email. rachael@motortradesgta.org | www.motortradesgta.org Follow us on Facebook and Instagram: @motortradesgta or find us on LinkedIn

GYS

BATTERY CHARGING

CHARGER & BATTERY SUPPORT UNIT



BATTERY SUPPORT UNIT



GYSFLASH 30.12PL

Ref: 026070

Advanced charger for all lead acid and lithium batteries

Full protection of the on board electronics No need for monitoring

List Price £266.00



GYSFLASH 121.12 CNT FV

Ref: 027756

Designed to sustain the vehicles electrical system during diagnostic work

Compensates the energy demand during all ignition on/engine off work 120A Output battery support unit Advanced battery charger for all lead acid and Lithium LiFePO₄ batteries

List Price £993.00

SPECIAL OFFER: £865.00 EX VAT

BOOSTER PACK



BOOSTER PACK



GYSPACK PRO

Ref: 025523

2 in 1: Starter & power supply Ideal for occasional starting of cars, SUV's & 4 x 4's

Peak current: 1750A Cranking current: 1100A Starting current: 600A

List Price £199.00

SPECIAL OFFER: £159.00 EX VAT

NOMAD POWER TRUCK

Ref: 028845

12V/24V Booster pack designed to start motorbikes, quad bikes, cars, SUV's and HGV's

Peak current: 2000A Cranking current: 1500A Starting current: 600A

List Price £322.00

SPECIAL OFFER: £239.00 Ex VAT



WELDING

PLASMA CUTTER



EASYCUT 25

Ref: U65543

Powerful compact plasma cutter

Max cut: 8mm steel Clean cut: 6mm steel Includes a consumables kit worth £42

List Price £753.70



MULTIPROCESS WELDER MIG & MMA



EASYMIG 150

Ref: U31884 (Ready to Weld Kit)

Recommended for welding steel & stainless steel

150A Mig welder, sturdy but lightweight 3 in 1 - Gas/no gas & MMA (stick) Integrated wire feeder - 1kg or 5kg reels Includes: 2.2m Mig torch, earth clamp, MMA kit, helmet, gloves and 1kg wire.

List Price £591.80

SPECIAL OFFER: £459.00 EX VAT

<u>Híckleys</u>

Dama HDM706E Semi Automatic Tyre Changer

An amazingly low cost tyre changer that comes with excellent features and carries the Dama pedigree for quality.

This popular Semi auto tyre changer has excellent specifications, including a large turntable to accommodate 25" rims and up to 14" wide wheels, powerful bead breaker and strong demount head. The two air operated assist arms enable run flat and low profile tyres to be easily removed whilst the protection system makes it ideal for alloys.

The tyre changer comes complete with air filter regulator, tyre inflator, tyre lever and soap tub.

Price includes delivery and installation.

Specification

 Max wheel diameter
 39.3"

 Tyre size outside
 9" - 21"

 Tyre size inside
 13" - 25"

 Wheel width
 3" - 14"

 Air pressure
 8 - 10 bar

 Power supply
 230v / 400v

 Net/gross weight
 220/249kg





Dama HDM186/HDM350 - HDM60 Tyre Changer / Wheel Balancer

A fully automatic tyre changer offering a high specification at a hugely competitive price. The changer comes complete with an assist arm ideal for run flat and low profile tyres, alloy protection system to ensure zero wheel damage and a large 26" turntable to cover the largest wheel sizes.

A fast and accurate balancer offering static and dynamic balancing, complete with a range of wheel style settings and an aluminium rim program, the balancer has a digital readout with manual input of settings covering wheels up to 24" rim diameters and 16" widths.

Specification

Max wheel diameter - 46.5"
Tyre size outside - 15" - 28"
Tyre size inside - 12" - 26"
Wheel width - 3" - 14"
Air pressure - 8 - 10 bar
Power supply - 230v / 400v
Net/gross weight - 332/370kg
Rim diameter - 10" - 24"
Max wheel diameter - 39"
Wheel width - 1.5" - 16"
Rotation speed - 200rpm
Balancing accuracy - +/- 1g
Power supply - 230v
Net/gross weight - 82/110kg





2995.00

Dama HDM185D + AA320D with 3rd Arm Assist

Automatic tyre changer complete with air tank for tubeless inflation. Tilt back column & demount head. 1 or 3 phase. Suitable for run flat, low profile and motorcycle tyres having a wheel size of 13" to 23" internal and 11" - 20" external clamping. Includes air regulator, inflator, tyre lever, soap & alloy wheel protectors.

Dama HDMB910 Wheel Balancer

Popular manual electronic wheel balancer at anaffordable price. Easy to use, balances in as little as 10 seconds. Wheel sizes from 10" to 24". 3 alloyprograms, static/dynamic balancing and autocalibration.

Package Deal - Save £295

£3695.00



Dama HDM185TID2 + AA320 with 3rd Arm Assist

Automatic tyre changer complete with air tank for tubeless inflation. Tilt back column & demount head. 1 or 3 phase. Suitable for run flat, low profile and motorcycle tyreshaving a wheel size of 14" to 25" internal and 12" - 22" external clamping. Includes air regulator, inflator, tyre lever, soap and alloy wheel protectors.

Dama HDMB916 Wheel Balancer

Automatic electronic wheel balancer with auto settings & multiple weight position modes. Automatic diagnostic function. Suitable for aluminium rims from 10-24". 8 second balancing time. Max wheel weight - 65kgs Rotation speed - 200rpm. Single phase.

Package Deal - Save £395

£4295 Lease £ 23.29 pw (5yr)



Dama HDM189HPD/S + AA390H with 3rd Arm Assist

Auto tyre changer with 3rd Assist Arm, air tank for tubeless inflation & leverless hook device. Tilt column action, and demount head. 1 or 3 phase. For run flat, low profile and motorcycle tyres from 13" to 26" internal and 11" - 24" external clamping. Tyre width 3" - 15". 2 Positions for bead breaker & rim width adjust. Twin speed for 3ph version.



Package Deal - Save £600 £5790.00

Dama HDMB68 Electronic Wheel Balancer

High quality, automatic wheel balancer with auto measurement, brake pedal and 7 alloy wheel modes. Balancing time from just 7 seconds, ideal for busy tyre bays.

Features - Italian engineered software, auto measurement with distance and diameter input, 5 x alloy modes and 2 x alloy smart modes with hidden weight function. Brake pedal for accurate positioning. Clear LED display. USB software updates. Self calibration. Power safe mode with sleep function. Auto width measurement. Auto position brake function & auto imbalance points search.







A hugely popular lift with a 4.2T lifting capacity & flexible 3 stage arms, giving excellent coverage for cars, vans & 4x4s. This lift is ideal for good level floors and has a small drive over frame between the posts.

Features

4.2T Capacity
Small drive over floor frame
Electro-hydraulic operation
Electronic locking system
Twin cylinder & chain system
3 Stage symmetric arms
Low pick-up height 115mm
Available in single & 3 phase
14 Months warranty
Includes 4 x 65mm pad extensions



Dama HDM4.0T 2 Post Lift

Ideal service lifts with a lifting capacity of 4 tonnes and can be installed on variable surfaces. Comes complete with 2 x 3 stage arms and 80mm riser extension pads.

Features

H-Base for better adaptation to most types of floors 4T Lifting capacity Minimum height 100-160mm Maximum height 1800mm Includes 80mm height extensions Electric lock release Available in Single & 3 phase

3 Stage extending arms both front and rear for greater flexibility and vehicle coverage



Dama HDM4.0T/SB 2 Post Lift

One of the most popular lifts in our range, providing top quality features at an excellent price. An ideal service lift with baseless design allows equipment to be manoeuvred beneath the lift. It has a lifting capacity of 4 tonnes & gives full flexibility for cars, 4x4s and vans.

This version gives the added flexibility of 3 stages on all 4 arms, including 80mm rise extension pads.

Features

Two chain driven pistons
Synchronization steel cable
3900mm Inner clearance
Aluminum Alloy motor
Electromagnetic lowering valve
2 Height switches, one for car &
one for carriage
Electrical locks 24V
Available in single & 3 phase



Dama HDM5.0T/1 2 Post Lift

Excellent lift for 4x4s, large vans & motorhomes. Semi-base design with a small cover between the posts and side bracing arms for maximum rigidity. No overhead gantry, the lift is ideal for working on varying sized vehicles and is perfect for garages with restricted height. Triple extending arms extend from 886mm to 1800mm long, with adjustable lift pad height of 110mm to 150mm.

Features

5t Lifting capacity
Electro hydraulic operation
Semi-base design with side braces
Electronic lock release
Triple extending arms 886mm to 1800mm
Lifting time 60 seconds
Pad height min 110mm max 150mm
Available in 3 phase only



Dama HDM6.0T/SB2H - 2 Post Lift

This 6 tonne lift has a huge lifting capacity at an amazingly low purchase price. Ideal for many light commercial workshops with 2 different height options. It can be installed at an external height of 4400mm or 4700mm. Flexible, baseless design, ideal where equipment needs to be manoeuvred beneath the lift. Inner height of 4230mm or 4530mm, giving full flexibility of lifting vehicles from large cars, 4x4s and large vans to small trucks. Comes complete with 1800mm 3 stage arms.

Features

Electro hydraulic operation
Synchronization steel rope
Electromagnetic lowering valve
Electric lock release
2 Height switches, one for car and
one for carriage.
Min height 123mm - 178mm
3 Phase only
Comes with 4 x 67mm & 4 x 127mm



HDM6.0T/SB2H **£5245.00**Lease £28.44 pw
(5 yrs)

Dama HDM2.5Y - Mobile Single Post Lift - Fixed Single Post Lift

A superbly versatile, mobile or fixed single post lift with a 2.5 tonne lifting capacity. This lift is easily manoeuvred around the workshop with a built-on trolley style handle and large wheels, or alternatively bolted down. Electro-hydraulic operation and single phase, the lift has a low 115mm minimum height and comes complete with 50mm and 100mm extensions.

Technical Specification

Total height 2600mm
Total width 2122mm
Total length 2577mm
Lifting height 115mm - 1760mm
Extensions 50mm & 100mm
Rubber pads 17mm
Power supply 220V/1ph/50Hz/2.2KW
Lowering time 53 seconds

Easily be converted from mobile to fixed





Dama HDM3.0 Scissor Lift

This full height scissor lift is designed to be surface mounted, due to its flat structure the lift is only 110mm when down. The lift has a 3 tonne lifting

capacity and extendable platforms, from 1450mm to 2050mm. With a lifting time of only 55 seconds & height of 1900mm, this is an ideal option for limited space areas, with the minimum of installation required. Single or 3 phase

Features

Capacity 3T Surface installation. Flat structure, lowest height is 110mm Extension pads for various types of vehicles.

Run-on-ramps can be locked in horizontal position



Dama HDM3.0MV Mobile Scissor Lift

A mobile scissor lift with 3 tonne lifting capacity and 1000mm lifting height. This high quality mobile lift is easily manoeuvred into position to offer excellent flexibility in the workshop. Ideal for tyre bays, body shops

and mechanical inspections. This unit is single phase and is therefore able to be used anywhere in the workshop. Requires compressed air to operate safety locking.

Features

Mobility kit for easy movement Extendable ramps fixed to increase the range of vehicles that can be lifted and service tasks carried out.

Minimum height 110mm Lifting height 1000mm Lifting time 30 seconds Single phase Platform length 1400-1940mm Platform width 1760mm



Dama HDM450 Service & **Wheel Alignment 4 Post Lift**

This 4.5t 4 post lift is both a service lift and a wheel alignment lift, having built-in rear slip plates and is recessed for front turnplates. The lift offers a

wheel alignment option at an outstanding price.

5350mm Platform length & 2860mm between the posts. Ideal for longer vans, 4x4's and motorhomes.

Features

4 Column electro-hydraulic lift Rear lockable slip plates Turnplate recesses with covers Synchronisation using steel cable Solenoid valve for lowering Anti toe trap system Safety rope switches Single & 3 phase

Optional manual or air operated Jacking Beam. HML2.0TJB or HXT402N



Dama HDM5.5F4 Service & Wheel Alignment 4 Post Lift

This excellent quality 5.5t 4 post lift is both a service lift and a wheel alignment lift. The lift is electro-hydraulic and is equipped for alignment with full locking system.

Pivoting rear plates and adjustable alignment plates.

Cable safety & end of travel micro-switches.

Specification

Capacity - 5500kgs Rise time - 50 seconds Lowering time - 60 seconds Single or 3 phase Platform length 5200mm Width between posts 2740mm Total length including ramps 6776mm Total width 3342mm

Optional manual or air operated Jacking Beam. HML2.0TJB or HXT402N



Dama HDM4.0MS & 4.5MS Double Scissor Wheel Alignment Lift

The HDM4.0/4.5MS is a quality 'Scissor in Scissor' lift, allowing vehicles to be guickly and easily driven on and raised without the need for jacking beams. Wide vehicle coverage thanks to either 4.5m or 4.8m

platform lengths.

Main lifting capacity: 4000 or 4500kg Secondary lift capacity: 3500 kg Main lift elevation: 240 - 1830 mm Secondary lift elevation: 400mm Main platform lengths: 4500 & 4800mm

Electro-hydrolic Lifting time: 90s 3 Phase Weight: 2200 kg

HDM4.0MS

ease £48.78 pv (5 yrs)



turnplate recess's & rear slip plates

> HDM4.5MS .ease £54.20 pv

(5 yrs)

Dama HDM4.5MSI2H & 5.5MSI2H Wheel Alignment Scissor Lift

This versatile wheel alignment scissor lift comes complete with an integral secondary scissor lift, wheel alignment rear slip plates and front turn plate recesses, making it ideal for general servicing and as a highly accurate geometry lift.

Features

Main lifting capacity: 4500 or 5500kg Secondary lifting capacity: 4500 or 5500kg
Main lift elevation: 330 - 2100mm or 380 - 2200mm Secondary lift elevation: 450mm Main platform length: 5000mm

Lifting time: 50s Single or 3 Phase Lifting time: 50s

HDM4.5MSI2H Lease £54.20 pw (5 vrs)



HDM5.5MSI2H Lease £55.83 pv

(5 vrs)

GEMCO



H4403SL+ & H4403WL

Electro-hydraulic Four Post Lifts



NEW BRADBURY FOUR POST LIFTS

These new 4 Tonne, 4 post, Electro Hydraulic lifts offer traditional Bradbury build quality at an amazing price. Made in Italy, the lifts are available either as a standard Service Lift or a Wheel Alignment option, which includes rear slip plates. Ideal for both busy service bays and tyre shops, they are designed to be functional and versatile.

- Capacity 4 Tonne
- Platform length 4.8m
- Minimum height 126mm (Service model), 180mm (Alignment model)
- Max platform height 1960mm
- Lift/lowering time 34s
- Motor size 3 Phase only
- Power supply 3 Phase 16a isolator
- Alignment version (H4403WL) includes Rear Slip Plates & recess for tumplates
 - Optional jacking beam not included



H4403WL **£6,195.00**

Lease from **£32.88** PW 5 Year

H4403SL+

£5,145.00

Lease from

£27.31 PW 5 Year

Both H4403SL+ and H4403WL available in single phase + £360

2 Year Warranty*



WC5301+WCAA+WC5521i

Tyre Package

This tyre package comprises the best selling tyre changer and wheel balancer in the Bradbury range.

The WC5301 tyre changer comes complete with an assist arm, designed to aid the user in changing run flat and low profile tyres with ease.

Handling wheels up to 26" clamped internally, 23" external, the WC5301 is the ideal tyre changer for the majority of UK vehicles.

The Bradbury WC5521i Advanced Electronic Wheel Balancer features advanced Italian software with 7 different ALU modes and is suitable for wheels of up to 28". The machine has a hidden (split) weight feature, which means weights can be hidden behind the wheel spokes.

Join the 1000's of customers already using this equipment today!

Tried, tested and built to last, this package is backed up by a 2 year parts and labour warranty! *

The complete package, with no hidden costs!

All equipment is built up and tested prior to despatch. Price includes delivery, installation and commissioning by a qualified Bradbury engineer

*Subject to maintenance at the manufacturer's recommended intervals



GEMCO



H8335EF FULL RISE SCISSOR LIFT with extendable platforms

NEW BRADBURY SCISSOR LIFT

- High quality Made in Italy
- 3.5 Tonne lifting capacity
- 110-125mm Minimum height (screw adjustable stops in base)
- 630mm Platform width (W)
- 1590mm Platform length (L)
- 2120mm Platform length including ramps locked in horizontal position (L)
- 2m Max distance to control box (hoses can be extended as required)
- 40mm Rubber blocks included as standard
- Galvanised base frame and run on ramps
- 2 Year parts and labour warranty*

*Subject to maintenance at the manufacturer's recommended intervals.



£2,475.00

Lease from

The Dunlop DL240+ Two Post Electro-hydraulic Lift features a large 4 tonne lifting capacity and is suitable for cars and vans (excluding LWB). Available with a choice of single or three phase motors at no extra cost. A solid H Baseframe model (DL240B+) is also available, please see below.

- Available in Single & 3 phase
- Lifting capacity 4 tonnes
- Lifting time 40 seconds
- Minimum height 100mm
- Lifting Height 1976mm
- Distance between posts 2800mm
- Overall width of lift 3520mm
- Front arms (3 stage) 722mm 1360mm Rear arms (2 stage) 920mm - 1467mm
- Warranty 12 months parts & labour*
- Optional Extras Pad Extension Kit 2 sets, 80mm & 150mm (Part Number 99991306)

DL240B+ Solid H Baseframe model also available **£2,850.00** Lease from

£15.13 Pw 5 year.

Same features as the DL240+ but with solid H Baseframe for extra stability.



HALF PRICE OPTIONAL LIFT PAD EXTENSIONS, 2 X SETS, 80MM & 150MM, ONLY £99 WHEN ORDERED WITH THE LIFT, USUAL PRICE £199, SAVE £100.

* Warranty subject to maintenance

HOFMANN MEGAPLAN





HOFMANN MEGAPLAN







ATL MOT

- Choice of lifts to fit every project from four post through to scissor. All are available in various platform lengths and can fit recessed, surface mounted or pre-prepared pits
- Lifts available with or without wheel alignment to allow for dual revenue
- Available with integrated or standalone emissions analyser
- Extended warranties with peace of mind deals are also available



CRYPTON







EQUIPMENT

Sends results to the MTS automatically.

Saves valuable time for other profitable services and MOT tests in a day.

(A mandatory requirement for all new emissions & brake testers or if you are opening a new MOT bay).

- Lift (4-post, 4-post dual revenue or scissor) or pit lane.
- Attractive checker plate surface.
 Control centre with Windows 10 PC, 23" screen, mouse, keyboard and printer in a mobile cabinet
 DVSA Approved automated roller brake testers
- Brake tester 4x4 facility as standard
- Brake tester cover plates
- **Turntables**
- Wheel play detectors (wireless with scissor lift)
- Jacking beam (manual or hydraulic)
- Brake pedal depressor
- Convex mirrors x2
- Laser aimed headlight aligner
 First 6 months of calibrations included for emissions tester, brake tester & headlight aligner
- Project manager, consultation, measuring, CAD drawing service, delivery & installation.

Optional:

- Market leading CCP800 smoke & gas emissions tester 40" monitor
- Calibration contracts
- Recessed or surface mounted lifts
- 4-Post lift up to 6.5m
- Brake tester adapter kits for motorbikes



CRYPTON





- Control Centre & Heart of the MOT bay mobile cabinet, 23" screen, Windows 10 PC, printer, mouse & keyboard with a dust/grease protective cover
- Smoke meter (wireless or cabled) accurate to -15°C
- 4 Gas Analyser accurate to OIML Class 0
- First 6 months of calibrations included

- Battery RPM measurement (OBD option)
- Operates the brake tester (when purchased) via a remote
- 3 Years manufacturer's warranty
- Manufactured & supported in the UK



DVSA APPROVED CONNECTED EQUIPMENT

Sends results to the MTS automatically.

Saves valuable time for other profitable services and MOT tests in a day.

(A mandatory requirement for all new emissions testers or if you are opening a new MOT bay from May 2021).



VCI DAD-C1 (optional)

Delivers engine speed (RPM) for Diesel engines quickly and accurately.

EOBD Capability, oxygen sensor monitoring & powertrain freeze frame data.

Supplied with extension lead and rubber cover.



5 YEARS EXTENDED CARE (optional)

Ensure your tester is calibrated and running at peak performance year after year.

Includes two years extended warranty, two calibration visits per year, routine consumables and all MOT gas updates released by the DVSA.

5YR EXTENDED CARE

£3495.00

TECALEMIT



MOT AUTOMATED TEST LANES (ATL)

I'll Give it FIVE

5 Years Warranty
5 Years Servicing
5 Years Calibrations
5 Months - nothing to pay
£500 OFF one of FIVE great products*

Add a Tecalemit Peace of Mind Package to extend the warranty, calibrations and servicing for up to 5 years from just £2,295



Choose a Premium upgrade package to further enhance the ATL bay and enjoy £500 off another piece of Tecalemit garage

equipment

PREMIUM PACKAGE

LED Matrix Display & Brake Tester Full Installation Frame from just £1,199



from just [£]2,199

thiert to status on nurchases funded via Kennet Equinment Leasing full details available upon request

PREMIUM PLUS

PACKAGE

LED Matrix Display, Full Installation Frame,

Pneumatic Jacking

Beam, Floor Strike

Plates, Headlamp Beam Tester Upgrade,

and Lift Platform Checker Plate Finish Get £500 off a Get £500 off a Get £500 off Get £500 off
Tecalemit ©R Tecalemit ©R Tecalemit ©R Tecalemit
2 Post Lift 4 Post Lift Scissor Lift Tyre Equipment Wheel Aligners



*Select a Tecalemit ATL bay with a 5 year peace of mind care package, extending the warranty, servicing and calibrations, and either the Premium Premium Plus upgrade package to claim £500 off another piece of Tecalemit equipment with a value in excess of £1950.00

TECALEMIT PROFESSIONAL TYRE CHANGERS

- Tecalemit G-Frame concept
 Eliminates chassis flex
- Levered or leverless operation* – Ideal for RFT technology
- Dual speed or variable speed* – Precise control
- Ergo control bead breaker*–
 Prevents wheel damage
- Technoroller & Technofollower arms – Let the machine do the work



Model	Description
TTC/9620/T	22" Tyre Changer and Technoroller
TTC/9624S/T	24" Tyre Changer and Technoroller
TTC/96285/T	28" Tyre Changer and Technoroller
TTC/9628S/LL/T	28" Leverless Tyre Changer and Technoroller

MODEL SHOWN: TTC/9268S/T

*Model Dependent Specification

TECALEMIT PROFESSIONAL WHEEL BALANCERS

- 65kg, 70kg or 80kg Chassis* Adequate capacity
- Internal rim illumination*- Visible weight positioning
- Laser weight positioning* -Accurate weight positioning
- Mechanical or pneumatic clamping* - Reduces effort
- Hidden & split weight facility*-Improved wheel visual presentation
- Quick selection programme data entry* – Saves time & effort

Model Description			
TBM/960A Series	65kg Chassis, LED Display		
TBM/985 Series	65kg Chassis, TFT Video Display		
TBM/9165 Series	70kg Chassis, LED Display		
TBM/9660 Series	70kg Chassis, TFT Video Display		
TBM/Wave 5 Series	80kg Chassis, Sonar Rim Measurement, LED or Video Display		

MODEL SHOWN: TBM/W5/TCHAWLP

*Model Dependent Specification

From only

£2,039

5yr Lease £10.82pw

TECALEMIT



WHEEL ALIGNMENT SYSTEMS

- Laser, CCD or 3D* Choice to suit your workshop configuration
- Suitable for wheel sizes from 12" 24"* -Suitable For Car & LCV
- Measures front & rear toe, total toe, set-back and rear axle thrust line* - All four wheels
- Measures camber, caster & SAI* More than just toe out & in
- Colour printout* Alignment settings for customers

MODEL SHOWN: GTR/400/SERIES



Model	Wheel Alignment Configuration
GTR/400/LITE	Laser aligner with wall storage brackets
GTR/400/PRO	As GTR/400/LITE + turnplates and steering wheel clamp
GTR/420/W	Wall mounted laser aligner with charging station
GTR/430	Trolley mounted laser aligner with AUTODATA
GTR/3020	Full 4 wheel 8 camera CCD wheel alignment system
GTR/8400	3D computerised 4 camera wheel alignment system

*Model Dependent Specification

2 POST LIFTS

- A range of mechanical and hydraulic 2 post lifts.
- Baseframe and baseless options.
- 3ph and 1ph options.
- Ideal for servicing and transmission work.

MODEL SHOWN: SF/9207



Model	Capacity	Pad Height	Platform Length/Configuration
SF/9010/H	3.0t	90mm	Mechanical with Baseframe 3ph
SF/9230	3.0t	95mm	Mechanical Baseless 3ph
SF/9010/H/32	3.2t	90mm	Mechanical with Baseframe 3ph
SF/9207	4.0t	100mm	Hydraulic with Baseframe 3ph
SF/9224	4.0t	103mm	Hydraulic Baseless 3ph
SF/9025	5.0t	125mm	Hydraulic Baseless 3ph

4 POST LIFTS

- Available in a range of lifting capacities and platform lengths.
- Surface or recess options.
- 3ph and 1ph options.
- Radius plates and jacking beam can be fitted for MOT requirements on selected models.*



Model	Capacity	Min Height	Platform Length/Config
SF/9436/SR	3.5t	120mm	4.3m Shallow Recess Service Lift 3ph
SF/9006	4.0t	130mm	4.5m Compact Class IV MOT Lift 3ph
SF/9084	4.0t	165mm	5.0m Service Lift 3ph
SF/9250	5.0t	170mm	5.2m Service Lift 3ph (Upgradable for MOT use*)
SF/9257/NPD	5.0t	155mm	5.7m Service Lift 3ph (Upgradable for MOT use*)
SF/8976	6.0t	190mm	6.0m Service Lift 3ph (Upgradable for MOT use*)

MODEL SHOWN: SF/9436/SR

*MOT upgrade requires additional jacking beam and radius plates. SF9006 will require the addition of jacking beam for MOT use.

SCISSOR LIFTS

- Short platform and full length options.
- Mid rise or full height options.
- · Surface or recess options.
- 3ph and 1ph options
- Wheel alignment or ATL MOT options.
- HGV options also available.





Model	Capacity	Max Height	Platform Length/Config
SF/9130/1/SI*	3.0t	930mm	1.4-1.9m Surface mounted 1ph
SF/8992	3.2t	1,945mm	1.4m Surface mounted 3ph
SF/8994	4.0t	1,900mm	1.5-2.0m Recessed 3ph
SF/9095/EV	4.5t	2,100mm	4.8m Recessed 3ph
SF/9065/EV	5.0t	2,100mm	5.2m Recessed 3ph
SF/9440	4.0t	2,180mm	4.8m Low Entry Surface Mounted 3ph

*SF/9130/1/SI is self-installation only.

ABSOLUTE ALIGNMENT





www.absolutealignment.co.uk


Bluetooth Pro Wheel Aligner

- · 6 Camera CCD technolgy ADAS ready
- 24" Pro Wheel Clamps (no metal to metal contact)
- Use on 4 or 2 post lifts plus wheel free scissor lift
- Simple to understand before/after colour printout
- · Smartphone/tablet app operation available
- VRM Number plate look up (Shoot & Go) option
- 12 Month warranty
- · On-site training

FROM ONLY **£7250.00** +VAT

5 YEAR LEASE £38.48 PW

PART No. BTPRO





Bluetooth 3D Wheel Aligner

- · Towerless design releases workshop space
- · 3D Camera technology ADAS ready
- 24" Pro Wheel Clamps (no metal to metal contact)
- VRM Number plate look up (Shoot and Go)
- · Use on 4 post or scissor lift
- · Simple to understand before/after colour printout
- Perfect for low vehicles
- 12 Month warranty
- On-site training

FROM ONLY £10,995.00 +VAT

5 YEAR LEASE £58.36 PW

PART NO BT3D



FUEL HIGH TORQUE BASELINE 1/2" WRENCH M18FP2 + PERCUSSION DRILL TWIN PACK

Includes

- M18 FUEL™ Percussion Drill
- M18 FUEL™ 1/2" High Torque Impact Wrench
- 2 x M18 5.0 AH Battery
- M18 Fast Charger & Packout Case

Impact Rench

- No Load Speed: 0-550/0-2,000/min.
- Impact Rate: 0-32,000/bpm

Percussion Drill

- Max. Torque: 135Nm
- Capacity: Steel 16mm, Masonry 16mm, Wood 89mm
- Weight: 2.2kg

FUEL 4 PIECE DRILL + DRIVER + CUT OFF TOOL KIT

- M12 FPD M12 FUEL™ Sub Sompact Percussion Drill
- M12 FID M12 FUEL™ Sub Compact 1/2" Hex Impact Driver
- M12 CH M12 FUEL™ Sub Sompact SDS-Plus Hammer
- M12 FCOT M12 FUEL™ Sub Sompact Multi-Material Cut-Off Tool
- X1 6a Battery
- X1 2a Battery
- FC Charger
- Packout Case

£519.95



FUEL ½" MID-TORQUE SUPER COMPACT IMPACT WRENCH KIT

- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 881 Nm of nut-busting torque and 745 Nm of fastening torque
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops
- Auto shut-off control applies no more than 47 Nm of torque for hand-tight fastening applications to prevent over-tightening
- 1/2" Square drive friction ring
- · Reversible belt hook
- · Tri-LEDs deliver high definition lighting
- Integrates three MILWAUKEE®-exclusive technologies the POWERSTATE™ brushless motor, REDLITHIUM™ battery pack and REDLINK PLUS™ intelligence
- Works with all MILWAUKEE® M18™ batteries
- Includes 2 x 5AH Batteries, Charger & Packout Case



SEALEY

SEALEY



Smoke Diagnostic Tool Leak Detectors

- · Allows the technician to pinpoint all manner of system leaks including the air intake, cooling, evaporation fuel exhaust and vacuum systems
- System is clean and quick to use and connects to a 12V vehicle battery.
- Features air and smoke mode with flow control valve.
- · Supplied with cone adapter, power cord clamp, valve core wrench, test oil refill bottle, smoke hose, EVAP connector, universal airbag adapter, rubber blanking cones (x8): Ø5-10, 9-15, 14-19, 18-26, 25-35, 32-45, 45-60, 60-75mm.
- Mineral oil not included.





Model No.	EVAP	List Price	Special Price
VS868	X	£399.95	£289.95
VS869	✓	£599.95	£439.95

5W & 1W COB LED Inspection Light (x2) & Double Wireless Charging Base





Package includes:

- LEDWC04 5W & 1W COB LED Inspection Light - Wireless Rechargeable (x2).
- WCB4 5V-2A Double Wireless Charging Base.
- · See main model number for further information.
- Model No. LEDWCBCOMBO5
- List Price £114.95



MM & IMP

3pc Micrometer Style Torque Wrench Set





- Ranges: 1/4"Sq Drive 5-25Nm, 3/8"Sq Drive 20-120Nm and 1/2"Sq Drive 40-220Nm.
- Flip reverse Chrome Vanadium steel ratchet head with smooth action mechanism
- Wrenches are individually tested to standards with ±4% accuracy and each wrench is issued with an individually numbered test certificate.
- Model No. STW900SET
- List Price £249.95

SPECIAL PRICE 139.9 1/4", 3/8" & 1/2" Sq. Drive

86pc Hexagonal Tap & Die Set **Metric & Imperial**

- High quality alloy steel taps and dies.
- · Features hex shaped dies providing a more secure fit in the die holder.
- Dies can also be used with a socket or spanner.
- See www.sealey.co.uk for details on full contents.
- Model No. AK3086HIM
- List Price £199.95









14pc Injector Bore Cleaning **Brush Set**



- Set includes 3-piece Brass brushes 18/20/25mm.
- 2-Piece end brushes 15/19mm.
- 1-Piece steel rod.
- 1-Piece rod
- 6-Piece M5 Nut Model No. VS1900
- List Price £37.95
- SPECIAL PRICE

20V 4Ah 2-in-1 Cordless/Corded SMD LED 4000lm Work Light Kit



Part of the SV20 Series offering a one-battery-fits-all solution, keeping costs down without compromising on performance.

Ratchet Wrench Sets







- · Chrome Vanadium steel 72-tooth ratchet wrench sets, hardened and tempered, with a fully polished mirror finish. Features pear-head with flip reverse,
- push-button quick release and anti-slip comfort grip.
- See www.sealey.co.uk for details on full contents.



Model No.	Drive	Set Qty	List Price	Special Price
S01230	3/8"Sq	5pc	£109.95	£66.95
S01231	1/2"Sq	4pc	£129.95	£84.95

Package includes:

- CP20VWL 20V Cordless SMD LED 4000lm Work Light - Body Only.
- CP20VBP4 20V 4Ah Lithium-ion Power Tool Battery.
- CP20VMC 20V Lithium-ion Battery Charger.
- CP1200CB Canvas Storage Bag.
- Model No. CP20VWLKIT1
- List Price £164.95



PRICES EXCLUDE VAT UNLESS STATED OTHERWISE

SEALEY





3L Transmission Oil Filling System

3L

- · Pump operated oil dispensing unit with a 3L capacity. Supplied with five multipurpose and three vehicle specific automatic transmission fluid adaptors.
- Features a fluid control and depressurising valve
- · Hose Length: 1.5m.
- Model No. VS70095
- List Price £144.95





2pc Wireless SMD LED Trailer Light Set



- · EU Plug wiring configurations and vehicles fitted with a 7-pin plug towing trailers. Includes wireless transmitter that
- works with 7-pin plugs only. 5-Functions: brake lights, rear turn signal
- lights, rear position lights, license plate lights and return reflectors
- Model No. TB18LEDW
- List Price £89.95



560mm Power Tool Storage Rack with Drawer & Power Strip

- · Stores up to five power tools.
- · Open front bays make power tools easily accessible.
- Fitted with a power strip (4 x 230V, 2 x 5V 2.4A USB sockets)
- Side panels made from perforated steel for hook storage.
- Rust and solvent resistant black crinkle effect paint.
- One drawer with heavy-duty 35mm ball-bearing drawer slides.
- Model No. AP22SRBE
- List Price £179.95







Superline Succession PRO

Mechanic's Utility **Seat & Toolboxes**

- Two folding side trays.
- · Twin drinks holder and screwdriver storage rack on the rear
- Four Ø60mm oil resistant swivel castors.
- Thick vinyl padded seat.
- Overall Size (W x D x H): 670 x 360 x 410mm.
- Max. Load: 136kg.
- Model No. SCR18B Black
- Model No. SCR18G Green Model No. SCR18R - Red
- Model No. SCR180 Orange
- Model No. SCR18Y Yellow
- List Price £139.95



Professional Coil Spring Compressor Set Right-Hand/Left-Hand

- · Suitable for MacPherson strut coil springs.
- Supplied with five pairs of different sized interchangeable yokes, for right and left-handed coil springs.
- · Plastic yoke protectors that protect the spring coating from damage, which can invalidate the vehicle manufacturer's guarantee.
- Safety yokes carefully shaped to stop the spring bowing while under compression.
- Model No. RE249
- List Price £439.95



Thermal Imaging Camera

- Thermal imaging camera for the detection of high and low temperature.
- Heat-mapped colour palettes and temperature reading.
- · Includes on-screen cursor to accurately locate minimum/ maximum temperature variation.
- Suitable for many industries including automotive, building and electrical.
- Model No. VS913
- List Price £219.95



Industrial High Velocity Fans

· High velocity industrial fans suitable for movement of huge volumes of air.

SPECIAL PRICE

- · Robust units with heavy-duty gauge steel casing, guard and frame. Carefully balanced and fully guarded blades provide safe operation.
- · Suitable for use in industrial, commercial, agricultural, automotive and showroom applications.
- Model No. HVF20 features 3-Speed settings at 1100, 1225 or 1350rpm.
- Model No. HVD24 features 2

Model No. HVD24 ledities 2-speed settings at 1550 of 1450 pm.									
Model No.	Fan Type	Fan Diameter	Maximum Airflow	List Price	Spe Pri				
HVF20	Floor	Ø550mm(20")	110m ³ /min(3900cfm)	£109.95	£84				
HVD24	Drum	Ø610mm(24")	155.3m ³ /min(5484cfm)	£219.95	£164				



*Please refer to www.sealey.co.uk/guarantee for more information on guarantees.









4.95



f 🏏 🕞 🌀 🕡 in SEALEY TOOLS



RING/KIELDER







The new additions to the range are packed with features such as advanced LED technology, magnets, flexible ratchet mechanisms, hooks and focused torches.

The MAGflex range ensures professionals can get on with the job.

📝 🕑 🖸 🖟 🔚 /ringautomotive www.ringautomotive.com

Find out more at:



DESIGNED WITH

THE PROFESSIONAL IN MIND

£14.99





WELZH WERKZEUG





UNIVERSAL LOCKING WHEEL **NUT REMOVER MASTER KIT**

31434-WW £199.99 +vat

Ideal for removal of rounded wheel nuts & most types of locking wheel nuts in an emergency. Contains new parts including the steel wheel protecting shrouds.

Made from S45C steel for A & B blades. Wheel protector included; protects the wheel from any damage during removal.

Master Kit Includes: Outer & Inner shroud, blade A & B, mandrel A & B, spring, spring ring, tool body,centre punch, o-ring, impact driver, impact socket 24mm, protection ring, blade C, short outer shroud, Jaguar key, Range Rover key, mandrel J, blade D & Ford key.



INTELLIGENT BATTERY TESTER **WITH PRINTER 6-30V DC**

44151-WW

£199.99 +vat

- Designed with advanced conductive testing
- technology with built in printer.

 Quickly & accurately measures the actual cold starting current of the starting batteries in various vehicles.

Ideal for detecting common starting failures & checking the battery health condition.

Tests all automotive lead acid batteries, AGM Flat Plate, AGM Spiral & Gel batteries. Reverse connection protection protects the tester, vehicle and battery from damage if connected incorrectly.




31433-A1-WW

£50.00 +vat

10 Replacement locking wheel nut blades for use with 31433-WW.





<mark>ERSAL HYDRAULIC</mark> TOR REMOVAL TOOL KIT

43467-WW

£945.00 +vat

Designed to remove stubborn & seized injectors.
Compatible with Bosch, Delphi,
Denso & Siemens injectors. No need for cylinder head or engine removal which allows for on car use to dramatically increase speed & time efficiency. 12 Ton hydraulic cylinder included (also sold

separately as 43468-ww). Heavy duty supporting bridge which can be adapted to suit any space as support for the cylinder head. Set includes adaptors for all Bosch, Delphi, Denso, & Siemens injectors.







INDUCTION MATE^{IM}

PR03886

£395.00 +vat

Induction Mate™s flameless technology is ideal for bolt removal. Often, during mechanical repair, old bolts and nuts are seized and are extremely dificult to remove. The specially designed Induction Mate™ makes a tough job easy compared to the traditional method Induction Mate™ makes a tough job easy compared to the traditional method using dangerous flames.

The Induction Mate™ is extremely reliable & fast with its 30 second heat-up time, insuring the job gets done quickley and efficiently.

Designed with LED Light to improve visibility, this feature is also great for use in confined areas where it is harder to locate the fastner.

Includes various sized coils to suit different bolt sizes:

18mm, 22mm, 28mm in diameter & all with a length of 20cm. Flexible soft coil also included: 1mtr long.

The Induction Mate[™] has a specific time saving rotating locking feature which allows the user to replace the coil quickly, then easily lock it into place by twisting the red rotating lock. To unlock, simply rotate the locking function back to release the coil.

Other Specifications: Input Voltage: 220V 50/60Hz. Input Current: 4A. Output Power: 500-900W. Output Voltage: 40V. **Output Current: 180A.**







SYKES-PICKAVANT





1500kg Mobile Double Scissor Lift Table for EV Batteries

GO1480

Powered by compressed air, the table allows convenient battery installation or removal, thanks to the sliding cover that can be opened.

The top table is extendable and tiltable by means of a mechanical screw, featuring M12 threaded holes for mounting all types of supports or fixings, including special hooks, brackets, plastic caps and protective mats for batteries.

Technical Specifications

- Max. lifting capacity 1500 Kg
- Lifting/lowering time 60 s
- Power supply 6/8 bar Total weight 400 Kg
- Lifting height 560/1800 mm



WWW.SYKES-PICKAVANT.COM

ff **101543 679900** in 01543 679900 **60kg Battery Powered**

> **Wheel Lifter 34196000**

> > For mounting and dismounting of small and medium wheels

- Push button on handle for easy one-handed operation
- Low centre of gravity for stability Special handle shape avoids
- interference during the mounting/dismounting of wheels Lowering brackets for easy
- loading of the wheel Light aluminium frame
- Powered by two 12V 12Ah batteries with LED charge

£2,295.00

Universal Digital Pressure Tester -Comprehensive Kit

33100000

Possible applications include petrol / diesel compression, oil pressure**, turbos, cooling systems, Ad Blue systems, fuel, vacuum and particle filter pressure.

- Easier to read and see smaller variations in pressure and vacuum
- Options to save, share export or print results for reference or to present to
- Suitable for high pressure petrol & diesel readings (with optional transducer &
- Unit pre-programmed for future add-on kits
- Compatible with previous and existing gauge products from Sykes-Pickavant

Kit includes Tester, 2x Sensors (0-300Bar & 1-3Bar), Universal Diesel Compression Adaptor, Universal Petrol Compression Adaptor, Eight Specific Professional Quick Coupling Adaptors and Vacuum Adaptors.

**Adaptors required for entry via oil pressure sensor

£1,395.00



Venom Induction Heater Deluxe Kit **960400SP**

Generates Invisible Heat® to release corroded and thread locked metal components without the danger of an open flame.

Includes removable tray with eleven labelled coils, including nine interchangeable pre-formed coils to heat fasteners up to 1 1/2" diameter and from 4" – 10" long. Flexible Bearing Buddy for wrapping

around inline and asymmetrical objects and a straight heat resistant U-Form coil for DIY

Coil Twist Lock™ Coils now lock down with one simple turn (no more thumb screws)

Other features include LED Usage Indicator to show functional status of the unit, 3 Second Fault Override Delay to protect the tool & Enhanced Fan Operation to improve cooling of the unit during use.

2 Year Limited Warranty.

£715.00



AGC-9280 Hi-Performance ATF Station

Fully automatic, easy to use with WiFi, large touch screen display and new graphical interface, allows the operator to easily service automatic transmissions. The database and step-by-step procedure instructions, with images of connection points, are integrated into the software.

The station allows the automatic detection of the direction of the oil flow in the transmission and prevents any damage to the system. The WiFi connection allows constant updates and remote assistance (Re.Solve), as well as the ability to print the final report directly from your workshop PC (Nexus Print).

The Dipstick function allows operation on sealed transmission systems, which can only be serviced via the oil filling hole. The ATF Remote Viewer App enables the operator to check all the steps being executed. Interchangeable tank for quick replacement of oil types. Purity is guaranteed by the Zero-Cross contamination function (internal cleaning of circuitry and external hoses).

Part No.	Description	Price	5yr Lease
35085000	ATF MACHINE C/W BASIC ADAPTOR KIT	£ 5,890.00	£31.26 pw
35085100	ATF ADAPTOR KIT (Adaptor No's 18-33)	£790.00	N/A
35085200	ATF ADAPTOR KIT (Adaptor No's 34- 47)	£840.00	N/A
35085300	ATF ADAPTOR KIT (Adaptor No's 48-60)	£840.00	N/A



Master Hub Puller Plate Kit

60 08522500

Universal hub puller plate with 8 slots for maximum coverage

- Full kit with all
- options Hydraulic / slide
- hammer / force screw Supplied in metal tin



PART NO.

LASER/TOOL CONNECTION LASER TO TOOL CONNECTION



A portable, self contained, pressurised brake bleeder which is powered from the vehicle's 12V battery. Can also be used on hydraulic clutch systems.

- With 5ltr reservoir tank which enables the entire braking system fluid to be replaced in one fill.
- Pressure adjustable up to 36psi (2.5 bar).
- Supplied with catchment bottle and a syringe to remove old fluid as well as 44mm European brake fluid reservoir adaptor.

HYDRAULIC BRAKE 4938 FLARING TOOL SET OUR PRICE E169.95 Includes a full set of dies and punches to produce high quality SAE and DIN flares on 4.75mm. 5mm and 6mm pipes. The patented design uses a T-handled hydraulic ram to deliver plenty of power for consistent results on steel, coated steel, cupro-nickel and copper pipes. The compact, hand-held design can be used in-situ on the vehicle to quickly produce high quality flares.

MANUAL PRESSURE **BRAKE BLEEDER 2L**



BRAKE FLUID

TESTER


Designed for use with most brake master cylinder reservoirs with Euro Adaptor (reservoir neck 44mm). Has an easy to pump action and visual gauge allowing this task to be performed quickly and effectively. An adaptor is supplied for fitting to European vehicles.

- · 2ltr capacity tank.
- One way syphoning method.
- Operating pressure 10psi; maximum pressure rating 30psi.
- Quick connector and pressure release valve. Pressure gauge 0 - 70psi (0 - 5 bar).

BRAKE CALIPER PART NO. 8092 SPREADER, HYDRAULIC For 2, 4 and 6 piston calipers supplied with three sizes of spreader pad. · Supplied with T-handle. • Spread range: 37 - 71mm. Supplied with 3 sets of pads: 90 x 60mm, 150 x 60mm, 180 x 60mm.

PNEUMATIC BRAKE **CALIPER REWIND**

TOOL - 3/8"D



Centrally located hydraulic ram evenly

spreads the force to prevent misalignment.


• Full adaptor range available. Supplied with a 3/8"D to 2 pin magnetic adaptor to fit adaptors in 3991.



OUR PRICE

£89.95

A simple tool for testing the percentage of water in brake fluid.



Suitable for Dot 3, Dot 4, Dot 5.1.

Not suitable for silicone based Dot 5.

C € 28

MINI RATCHETING BRAKE PIPE CUTTER 4.75MM

The compact head, ratcheting handle and self-adjusting cutting mechanism make the tool ideal for use in confined areas. The cutter head features an automatic spring mechanism to maintain the correct cutting pressure on the pipe

Compact head, only 15mm radius with a 4.75mm (3/16") cutter designed specifically for brake pipes.

To further increase leverage use the 1/4" drive square in the end of the handle.

PART NO

4875



BIT SET 3/8"D **OUR PRICE**

Designed to suit the most commonly used brake disc and drum holding screws.

- 5mm Hex applications: Saab, Vauxhall.
- · 6mm Hex applications: BMW.
- T30 applications: Fiat, Honda, Mercedes-Benz, PSA.
- T40 applications: Hyundai, Kia, Mazda, Mercedes-Benz, Renault.
- T50 applications: BMW, MINI.

Use with relevent Connect replacement screws.



PARTNERS







































Branch	Address	
APD Bath	69-71 Lower Bristol Road, Bath, Avon, BA2 3BE	01225 424 221
APD Glastonbury	Butt Close, Glastonbury, Avon, BA6 9HY	01458 832 915
APD Norwich	3 Spar Road, St Faith's Industrial Est, Norwich, Norfolk, NR6 6BZ	01603 486 020
APD Reading	Suttons Business Park, Reading, RG6 1AZ	01189 110 949
APD Swindon Westmead	Unit 1, Glenmore Business Park, Bridgemead Cl, Swindon, Wiltshire SN5 7AU	01793 821 715
APD Export	APD Retford Warehouse, Unit 2, Hallcroft Industrial Est, Aurillic Way, Retford, DN22 7PX	01777 700 075

BEST PRICE • BEST RANGE • FAST QUOTE • FINANCE ARRANGED

